

HOW TO: Tag and Configure a storage device as a Solid State Disk (SSD) in VMware vSphere 5.0 or 5.1 (ESXi 5.0 or ESXi 5.1)

<https://www.experts-exchange.com/articles/10133/HOW-TO-Tag-and-Configure-a-storage-device-as-a-Solid-State-Disk-SSD-in-VMware-vSphere-5-0-or-5-1-ESXi-5-0-or-ESXi-5-1.html>

In VMware vSphere 5.x (ESXi 5.x) there is a new feature called **Host Cache Configuration**. This new feature allows the VMware vSphere Administrator to configure the VMware vSphere 5.x (ESXi 5.x) host server to use a cache on a Solid State Disks (SSD) for the virtual machine's swapfile for better performance, because the SSD has much faster latency than a traditional mechanical disk. This is also known in VMware Administrator circles as *Swap to Host Cache* or *Swap to SSD*. Once Host Cache Configuration has been enabled, the virtual machines will be swapping to SSD, but this swapfile is not a true swap file, and the entire virtual machine swap file (.vswp) is not stored on the SSD.

However, not all SSD devices are correctly tagged as SSD. This tutorial shows how to tag a Non-SSD storage device as SSD, if you want to experiment with Host Cache Configuration but do not have a SSD to hand. *This is not supported by VMware, tagging a non-SSD as a SSD.*

The same procedure can be followed to tag a SSD, correctly, if it's not recognized by the VMware ESXi server.

With the current fall in prices for consumer SSDs, it can give a real performance boost to a VMware ESXi 5.x server which is short on memory. Consumer SSDs e.g. Kingston SSDNow V+200 Drive Model SVP200S37A/60G are generally cheaper than server memory. We recently purchased this model for £29.99 GBP.

The commands we will be using in this Tutorial, are the **esxcli** commands, these commands can be executed on the ESXi shell, through the vMA or PowerCLI esxcli remote version. In this tutorial I'll be logging into the ESXi server, and executing the commands on the ESXi shell.

1. Connect to the VMware vSphere Hypervisor (ESXi) or VMware vSphere vCenter Server


Using the VMware vSphere Client, Login and Connect to the ESXi server, using IP address or hostname of the ESXi server, using root username and password credentials. If you have a VMware vSphere vCenter server, you could also specify IP address or hostname of the vCenter server.



2. Check and record the storage device name to be tagged as a SSD

Check there is a VMFS volume already formatted on the storage device, you want to present to the Host ESXi server, as a SSD and record the device name for later in Step 4.


Select Host > Configuration > Storage



In the example above, the local storage device **mpx.vmhba1:C0:T0:L0** is a local disk, formatted with the datastore name datastore1 as VMFS5. Record the storage device name **mpx.vmhba1:C0:T0:L0**.

3. Logon to ESXi console (shell) via PuTTY

Using PuTTY a free telnet and SSH client or another SSH client Login and Connect to the VMware Hypervisor ESXi server, using IP address or hostname of the VMware Hypervisor ESXi server, using root username and password credentials.



4. Create a new SATP rule


At the console or SSH session type the following commands to create a new SATP rule.

```
esxcli storage nmp satp rule add --satp VMW_SATP_LOCAL --device mpx.vmhba1:C0:T0:L0 --option=enable_ssd
```

using the device name recorded in Step 2 above. The console will return a new line. To check the rule has been created correctly type the following commands

```
esxcli storage nmp satp rule list | grep enable_ssd
```

the following screenshot should be displayed confirming the creation of the rule.




5. Claim storage device

At the console or SSH session type the following commands

```
esxcli storage core claiming reclaim -d mpv.vmhba1:C0:T0:L0
```

using the device name recorded in Step 2 above.

I have seen the following error messages when trying to claim devices, either restart the server or use the "unclaim" device command.



```
esxdev002.cyrus-consultants.co.uk - PuTTY
~ # esxcli storage core claiming reclaim -d mpv.vmhba1:C0:T0:L0
Unable to unclaim path vmhba1:C0:T0:L0 on device mpv.vmhba1:C0:T0:L0. Some paths may be left in an unclaimed state. You will
need to claim them manually using the appropriate commands or wait for periodic path claiming to reclaim them automatically.
```

you can unclaim the device by specifying the device name.

```
esxcli storage core claiming unclaim --type device --device mpv.vmhba1:C0:T0:L0
```

6. Reload the claim rules

I usually reload the claim rules and run the rules using the following commands:


```
esxcli storage core claimrule load
esxcli storage core claimrule run
```

7. Confirm device is Tagged as SSD

Use the following command at the console, to check if the device has successfully been tagged as a SSD

```
esxcli storage core device list --device=mpv.vmhba1:C0:T0:L0
```


The following output will be displayed for the device.



```
~ # esxcli storage core device list --device=mpv.vmhba1:C0:T0:L0
mpv.vmhba1:C0:T0:L0
  Display Name: Local VMware, Disk (mpv.vmhba1:C0:T0:L0)
  Has Settable Display Name: false
  Size: 102400
  Device Type: Direct-Access
  Multipath Plugin: NMP
  Devfs Path: /vmfs/devices/disks/mpv.vmhba1:C0:T0:L0
  Vendor: VMware,
  Model: VMware Virtual S
  Revision: 1.0
  SCSI Level: 2
  Is Pseudo: false
  Status: on
  Is RDM Capable: false
  Is Local: true
  Is Removable: false
  Is SSD: true
  Is Offline: false
  Is Perennially Reserved: false
  Thin Provisioning Status: unknown
  Attached Filters:
  VAAI Status: unsupported
  Other UIDs: vml.00000000000766d686261313a303a30
~ #
```

Check the output states "Is SSD: true"

You have successfully configured and tagged a local device as a SSD. If you now repeat Step 2 above, you will see the device now states SSD.



In my next Article, I show you how to configure Host Cache Configuration.

Tag Devices as SSD (VMware Documentation)

http://pubs.vmware.com/vsphere-50/index.jsp?topic=%2Fcom.vmware.vsphere.storage.doc_50%2FGUID-99BB81AC-5342-45E5-BF67-8D43647FAD31.html

You can use PSA SATP claim rules to tag SSD devices that are not detected automatically.

Only devices that are consumed by the PSA Native Multipathing (NMP) plugin can be tagged.

If you need more information about the commands listed in this topic, see the *Getting Started with vSphere Command-Line Interfaces* and *vSphere Command-Line Interface Concepts and Examples* documentation.

Procedure

1	<p>Identify the device to be tagged and its SATP.</p> <pre>esxcli storage nmp device list</pre> <p>The command results in the following information.</p> <pre>naa.6006016015301d00167ce6e2ddb3de11 Device Display Name: DGC Fibre Channel Disk (naa.6006016015301d00167ce6e2ddb3de11) Storage Array Type: VMW_SATP_CX Storage Array Type Device Config: {navireg ipfilter} Path Selection Policy: VMW_PSP_MRU Path Selection Policy Device Config: Current Path=vmhba4:C0:T0:L25 Working Paths: vmhba4:C0:T0:L25</pre>
2	<p>Note down the SATP associated with the device.</p>
3	<p>Add a PSA claim rule to mark the device as SSD.</p> <p>You can add a claim rule by specifying the device name.</p> <pre>esxcli storage nmp satp rule add -s SATP --device device_name -- option=enable_ssd</pre> <p>You can add a claim rule by specifying the vendor name and the model name.</p> <pre>esxcli storage nmp satp rule add -s SATP -V vendor_name -M model_name --option=enable_ssd</pre> <p>You can add a claim rule based on the transport protocol.</p> <pre>esxcli storage nmp satp rule add -s SATP --transport transport_protocol --option=enable_ssd</pre> <p>You can add a claim rule based on the driver name.</p> <pre>esxcli storage nmp satp rule add -s SATP --driver driver_name -- option=enable_ssd</pre>

4	<p>Unclaim the device.</p> <p>You can unclaim the device by specifying the device name.</p> <pre>■esxcli storage core claiming unclaim --type device --device <i>device_name</i></pre> <p>You can unclaim the device by specifying the vendor name and the model name.</p> <pre>esxcli storage core claiming unclaim --type device -V <i>vendor_name</i> -M ■<i>model_name</i></pre> <p>You can unclaim the device based on the transport protocol.</p> <pre>esxcli storage core claiming unclaim --type device --transport ■<i>transport_protocol</i></pre> <p>You can unclaim the device based on the driver name.</p> <pre>■esxcli storage core claiming unclaim --type device --driver <i>driver_name</i></pre>
5	<p>Reclaim the device by running the following commands.</p> <pre>esxcli storage core claimrule load esxcli storage core claimrule run</pre>
6	<p>Verify if devices are tagged as SSD.</p> <pre>esxcli storage core device list -d <i>device_name</i></pre> <p>The command output indicates if a listed device is tagged as SSD.</p> <pre>Is SSD: true</pre>

What to do next

If the SSD device that you want to tag is shared among multiple hosts, make sure that you tag the device from all the hosts that share the device.